

VOLUME 46: INDEX TO SUBJECTS

- abaca 181
Abelmoschus esculentus 272
 manihot 195
Abies amabilis 151
 spectabilis 257
 Aboriginal plant food, Australia 135
 absorbants 402
Acacia 121, 129
Acacia
 albida 56
 arabica 56
 catechu 56
 concinna 332
 farnesiana 56
 hockii 61
 kirkii 61
 mearnsii 55, 61
 mellifera 61
 nilotica ssp. *subulata* 61
 sayel 56
 species 56
 senegal 61
 xanthophloea 61
Acer glabrum 153
Achuar 234
Achyranthes
 aspera 331
 bidentata, var. *tomentosa* 385
Acmella ciliata 412
 aconitase 283
Aconitum atrox 337
Acorus calamus 67, 258
Actinostemma 365
 tenerum 350, 360, 361, 365
 Adiantaceae 412
Adiantum obliquum 412
Aesculus indica 257
 African yam bean 262, 276
 Agavaceae 181
Agave sisalana 181
Ageratum conyzoides 334
 agrosilvopastoral systems 121
Albizia procera 332
Alchornea 234
 alcohol dehydrogenase 283
Alhagi
 camelorum 67
 maurorum 67
 alho 412
Alibertia hadrantha 417
 alizarin 247
 allergens 426, 429
 allergic conjunctivitis 428
 rhinitis 426
 sinusitis 426
 Alliaceae 412
Allium 112, 412
 bakeri 112
 blandum 112
 carolinianum 112
 Chinense 112
 consanguineum 112
 govianum 112
 humile 112
 jacquemontii 112
 przewalskianum 112
 rubellum 112
 sativum 295
 semonovii 113
 splendens 112
 stolczkii 112
 stracheyi 114
 victoralis 114
 wallichii 114, 258
 almond 13
Alnus
 crispa 154
 incana 154
 nepalensis 257
 rubra 152, bark of 154
 Alocasia macrorrhiza 25
Alternanthera cf. *bettzichiana* 412
amabilis fir 151
 Amaranthaceae 412
 amaranths 103
Amaranthus 103
 caudatus 103, 104
 cruentus 103
 hybridus 104
 hypochondriacus 103
 quitensis 104
 Amaryllidaceae 112
 Amazon 408
 Amazonian Ecuador 233
Ambrosia 428
 psilostachya 429
 trifida 385, 429
Amburana cearensis 415
 amino acid composition, *Sphenostylis stenocarpa* 273
Amphicarpea bracteata ssp. *edgworthii* var. *japonica* 385
Amygdalus communis 13
 Anacardiaceae 195, 412
Anacardium occidentale 412
Ananas comosus 413
 anaphylaxis 426
Andropogon 369
Anemone
 rivularis 258
 vitifolia 258
 angioedema 426
Aniba canelilla 415
 annatto 413
Annona
 glabra 296
 muricata 296
Annona sp. 412
 Annonaceae 412
 ant's bush 294
Anthurium 412
 antibody-mediated, reactions 426
Antidesma roxburghii 332
 antimicrobial extract 406
 antinutritional factors 165, 310
 Apiaceae 412
 Apocynaceae 412
Apocynum
 cannabinum 155
 androsaemifolium 155
 Araceae 412, epiphytic 236
Arachis hypogaea 311
Araucaria araucana 39
 Arboriculture 192
 archaeological remains
 animal bones 396
 bread wheat 396
 charred plant remains 396
 dung 396
 flint 396
 Hordeum vulgare 396
 macaroni wheat 396
 plant remains, carbonized 396
 recovery by flotation 396
 shell fragments 396
 six-rowed hulled barley 396
 Triticum aestivum 396, *durum* 396
 wood charcoal 396
Ardisia paniculata 331
Areca catechu 196, 199
Argyrea capitiformis 333
 aril 339
Arisaema flavum 258
 aroids 25
Arrabidaea chica 413
 arrowroot 416
Artemisia
 princeps 385, 392
 vulgaris 429
 Artocarpus
 altilis 25, 194, 196, 198, 416
 heterophyllus 416
Asclepias curassavica 296
 Asian rice 368
Aspalathus 67
Asparagus racemosus 258

VOLUME 46: INDEX TO SUBJECTS

- abaca 181
Abelmoschus esculentus 272
 manihot 195
Abies amabilis 151
 spectabilis 257
 Aboriginal plant food, Australia 135
 absorbants 402
Acacia 121, 129
Acacia
 albida 56
 arabica 56
 catechu 56
 concinna 332
 farnesiana 56
 hockii 61
 kirkii 61
 mearnsii 55, 61
 mellifera 61
 nilotica ssp. *subulata* 61
 sayel 56
 species 56
 senegal 61
 xanthophloea 61
Acer glabrum 153
Achuar 234
Achyranthes
 aspera 331
 bidentata, var. *tomentosa* 385
Acmella ciliata 412
 aconitase 283
Aconitum atrox 337
Acorus calamus 67, 258
Actinostemma 365
 tenerum 350, 360, 361, 365
 Adiantaceae 412
Adiantum obliquum 412
Aesculus indica 257
 African yam bean 262, 276
 Agavaceae 181
Agave sisalana 181
Ageratum conyzoides 334
 agrosilvopastoral systems 121
Albizia procera 332
Alchornea 234
 alcohol dehydrogenase 283
Alhagi
 camelorum 67
 maurorum 67
 alho 412
Alibertia hadrantha 417
 alizarin 247
 allergens 426, 429
 allergic conjunctivitis 428
 rhinitis 426
 sinusitis 426
 Alliaceae 412
Allium 112, 412
 bakeri 112
 blandum 112
 carolinianum 112
 Chinense 112
 consanguineum 112
 govianum 112
 humile 112
 jacquemontii 112
 przewalskianum 112
 rubellum 112
 sativum 295
 semonovii 113
 splendens 112
 stolczkii 112
 stracheyi 114
 victoralis 114
 wallichii 114, 258
 almond 13
Alnus
 crispa 154
 incana 154
 nepalensis 257
 rubra 152, bark of 154
 Alocasia macrorrhiza 25
Alternanthera cf. *bettzichiana* 412
amabilis fir 151
 Amaranthaceae 412
 amaranths 103
Amaranthus 103
 caudatus 103, 104
 cruentus 103
 hybridus 104
 hypochondriacus 103
 quitensis 104
 Amaryllidaceae 112
 Amazon 408
 Amazonian Ecuador 233
Ambrosia 428
 psilostachya 429
 trifida 385, 429
Amburana cearensis 415
 amino acid composition, *Sphenostylis stenocarpa* 273
Amphicarpea bracteata ssp. *edgworthii* var. *japonica* 385
Amygdalus communis 13
 Anacardiaceae 195, 412
Anacardium occidentale 412
Ananas comosus 413
 anaphylaxis 426
Andropogon 369
Anemone
 rivularis 258
 vitifolia 258
 angioedema 426
Aniba canelilla 415
 annatto 413
Annona
 glabra 296
 muricata 296
Annona sp. 412
 Annonaceae 412
 ant's bush 294
Anthurium 412
 antibody-mediated, reactions 426
Antidesma roxburghii 332
 antimicrobial extract 406
 antinutritional factors 165, 310
 Apiaceae 412
 Apocynaceae 412
Apocynum
 cannabinum 155
 androsaemifolium 155
 Araceae 412, epiphytic 236
Arachis hypogaea 311
Araucaria araucana 39
 Arboriculture 192
 archaeological remains
 animal bones 396
 bread wheat 396
 charred plant remains 396
 dung 396
 flint 396
 Hordeum vulgare 396
 macaroni wheat 396
 plant remains, carbonized 396
 recovery by flotation 396
 shell fragments 396
 six-rowed hulled barley 396
 Triticum aestivum 396, *durum* 396
 wood charcoal 396
Ardisia paniculata 331
Areca catechu 196, 199
Argyrea capitiformis 333
 aril 339
Arisaema flavum 258
 aroids 25
Arrabidaea chica 413
 arrowroot 416
Artemisia
 princeps 385, 392
 vulgaris 429
 Artocarpus
 altilis 25, 194, 196, 198, 416
 heterophyllus 416
Asclepias curassavica 296
 Asian rice 368
Aspalathus 67
Asparagus racemosus 258

- aspen 151
Aspidosperma quebrachoblanco 129
 vargasii 412
 Assyria 65
Aster aspurulus 258
 Asteraceae 34, 412
Astrocaryum
 murumuru 417
 aculeatum 417
Atriplex sp. 397
Atylosia crassa 332
 Australian hunter-gatherers 133,
 Cycas preparation 135
 Australian Aborigines 133
Avena
 sativa 99
 sp. 397
Averrhoa carambola 416
 ayampaku 238
 azoxyglycoside assays 143
 azuki beans, domesticated, mor-
 phology 389, weed 384, 392,
 wild 384
 babul 56
Baliospermum montanum 332
Balsamocarpon brevifolium 128
 banana 6, 416
Banara guianensis 415
 bandages 153
 banyan 68
 barks, medicinal 151,
 barley, cultivated 101
Barringtonia
 magnifica 196
 novae-hibernica 195
 Barringtoniaceae 195
 basketry 153, 236, 238, 421
 from extractive reserves 409
Batatas 323
 batik cloth 245
 bean
 common 102
 cultivars 165
 trichomes 300
 bee forage 128
Begonia
 auriculata 114
 cucullata 115
 fusicarpa 115
 glabra 115
 gracilis 114
 grandis 114
 mannii 114
 oblongata 115
 oxyloba 115
 picta 258
 ulmifolia 115
 begonias, as food and medicine 114
 Bengal gram 311
Benincasa hispida 30, 355, 360,
 361, 366
 var. *chieh-qu* 356
 Benincaseae 366
Berberis
 aristata 258
 chitria 258
Bergenia ciliata 258
Bertholletia excelsa 408, 415
 betel nut 199
Betula
 papyrifera 154
 utilis 257, 258
Bidens biternata 385
 Bignoniaceae 413
 biogenic silica, applications 402
 birch bark containers 154
 bird-pepper 294
 bitter tally 294
 bitter-melon 360, 366
Bixa orellana 413
 Bixaceae 413
 black ash 155
 black nightshade 294
 black cottonwood 151
 black sage 294
 black gram 311
 blankets 153
 bleach 239
 blue fleabane 297
Boehmeria malabarica 331
Bolbostemma paniculatum 350,
 360, 361, 365
 Bombacaceae 413
 bombonaje 235
 bombonassa 235
 Boraginaceae 413
Borassus palm 52
Botrychium lunaria 258
 bottle gourd 366
 bovine bush 294
 bows 127
Brassica
 campestris ssp. *rapifera* 395, 397
 oleracea 413
 spp. 105
 Brassicaceae 413
 Brazil nut 408
 breadfruit 25, 198, 416
Bridelia stipularis 332
 British Columbia, economies of
 native peoples, 155
 broad beans 65
 broad-leaved thyme 296
 Bromeliaceae 413
 brooms 238, 421
 brown plant hopper 369
 Brugmansia 176
 Buddha's fruit 366
 buffalo gourd 367
 bur cucumber 367
 bura-bura 294
Burckella obovata 197
 Burseraceae 195, 413
 Byzantine Greece 395, Sparta 395,
 foods 400
 Caatingas region Brazil 123
 cabbage looper 299
 Cactaceae 172
Caesalpinia
 coriaria 123
 ferrea 123
 melanocarpa 122
 paraguariensis 121
 spinosa 128
 Caesalpinaceae 413
 Caesalpinioideae 121
Cajanus cajan 296, 311
 calabash 413
 calabazas 95
Calamus manan 52
Calatola venezuelana 415
Callicarpa tomentosa 333
Calotropis gigantea 333
Calycotome villosa 67
 cambium cakes 150
 camel grass 67
Camellia sinensis 385
Canarium indicum 195, 196
Canna indica 95
Cannabis sativa 258
 cantaloupe 357
Caperonia castanetifolia 297
 capes 153
 cappa-dula 294
 Capparaceae 413
 Caprifoliaceae 414
Capsella bursa-pastoris 258
Capsicum 94, 418
Capsicum
 annuum 103, var. *glabriuscu-*
 lum 294
 frutescens 297
 carambola 416
 cardamom 67
Cardiospermum helicacabum 332
Carica papaya 106, 193, 414
 Caricaceae 193, 414
Carludovica palmata 233, 239
 carob 13
 Caroline Islands 25
 carrion crow bush 294
Carthamus tinctorius 34

- cashew 412
Cassia
 alata 294, 332
 occidentalis 296
Castilla olei 416
Catharanthus roseus 296
Caulerpa spp. 200
Cayratia japonica 385
 cebola 412
Cecropia 234, 295
 cedar 153
Cedrela odorata 416
Cedrus deodara 257, 258
Celosia argentea 331
Celtis schippii 418
Centella asiatica 258, 333
 center of diversity 38
Cerastium 397
Ceratonia siliqua 13
Ceratotropis 385
Cercis occidentalis 155
 cereal grain domestication, cyto-
 genetic evidence 99
 Chaco region 122
Chamaecyparis nootkatensis 149
Chamaemelum nobile 426
Chamaesyce sp. 295
 chamomile 426
 chamomile tea 426
 Chanar 127
 characters 75
 charcoal 127, 421
 chayote 367
 Chenopodiaceae 414
Chenopodium 106
 album 397, 258
 ambrosioides 414
 chicha 238
 chick-pea 311
 chickpeas 101
 chili pepper 103
 Chili tarweed 39
 China 349
 Chinese medicine, Cucurbits in
 360
 Chinese squash 354, 367
 Chinese squash, naked seeded 359
 chloroplast DNA 276, 281
 Christmas bush 294
 Christmas flower 294
Chromolaena odorata 295
 chrysophanol 247
Cicer
 arietinum 101, 311, 397
 echinospermum 101
 reticulatum 101
Cirsium verutum 258
 cis-3-hexenal 402
Cissus
 adnata 332
 repens 332
Citrullus lanatus 193, 350, 356,
 360, 361, 366, 414
Citrus sp. 418
 aurantifolia 298
 limon 418
 sinensis 418
Clarisia ilicifolia 416
 clear cutting regime 52
Clematis burchaniana 259
Cleome spinosa 413
Clerodendrum
 viscosum 333
 nutans 333
 clothing 153
 Clusiaceae 414
 cock-shun 295
 coco 417
 cocoa 418
 coconut 417
 coconuts 25
Cocos nucifera 25, 196, 194, 417
Coelostegia macrantha 339
 Cofan 234
Coffea sp. 417
 coffee 417
Coleus amboinicus 296, 415
 collar 413
Colocasia
 affinis 334
 esculenta 25, 272
 sp. 412
 Combretaceae 195
Combretum sp. 332
Commelina
 communis 385
 nudiflora 298
 commercial economy 52
Commiphora 67
 common bean 102
 congo pump 295
 conservation-oriented behaviour
 53
 construction materials 155
 containers 154
 continuous cutting 52
 Convolvulaceae 193, 414
Copaifera sp. 413
 coraila 295
 cord 236, 420
 cordage, cedar bark 152, 153, 155
Cordia
 cylindrostachya 294
 nodosa 413
Cordyceps sinensis 259
Coriandrum sativum 412
 corn 417
Cornus stolonifera 154
 Corynocarpaceae 197
Corynocarpus cribbeanus 195
 cotton tree 68
Couratari macrosperma 415
 cow parsnip 154
 cow-foot-bush 295
 cowpea 314
 cpDNA 282
 creeping wild daisy 297
Crescentia cujete 413
 crop resources 368
 cross-reactions 429
Crotalaria pallida 296
Croton trinitatis 297
 cucumber 358, 365, 414
 cucumbers and gourds 356
Cucumis
 anguria 414
 bisexualis 357
 callosus 367
 hystrix 350, 358, 365
 melo 350, 360, 361, 365, 367,
 414
 ssp. *agrestis* 350, 357; *cono-*
 mon 350, 360; *dudaim*
 350, 357 *flexuosus* 350,
 357; *melo* 350, 357
 sativus 350, 358, 360, 365, 414
 vars. *hardwickii* 358; *sativus*
 350; *xishangbannansis*
 350
Cucurbita 95, 414
 argyrosperma 103, 349, 350, 367
 ficifolia 349, 350, 367
 foetidissima 350, 367
 maxima 106, 350, 359, 367; var.
 turbaniformis 350
 mixta 103, 367
 moschata 350, 354, 358, 359,
 360, 361, 367;
 var. *moschata* 350
 pepo 104, 351, 359, 367
 ssp. *pepo* 351; *ovifera* 351
 Cucurbitaceae 172, 193, 349, 414
 Cucurbitaceae 367
 Cucurbitoidae 365
Curculigo capitulata 334
 cutch 56
Cyamopsis tetragonoloba 188
Cyathula tomentosa 259

- Cycadaceae 197
Cycas 133
 angulata 134
 armstrongii 143
 media 134
 revoluta 331
 rumphii 196
Cycas seeds
 ethnographic accounts 137
 processing of 135
 Cyclanthaceae 236, 414
Cyclanthera pedata 351
Cymbopogon
 schoenanthus 67
 citratu 417
Cynodon dactylon 68
 Cyperaceae 414
Cyperus
 esculentus 64
 longus 65
 procerus 369
 rotundus 64
Cyrtosperma chamissonis 25
Dactylorhiza hatagirea 259
Dahlia variabilis 38
 damnacanthai 249
Dasyliro 181
Datura 176
 candida 177
 fastulosa 333
 stramonium 259
Delphinium vestitum 259
Derris robusta 332
Desmodium incanum 295
 dhal 312
 diapers 153
 diffusion/independent invention
 98
Dioscorea
 hispidula 115
 spp. 25
Diospyros
 ebenum 127
 peckelii 196, 197
Diplocyclos palmatus 251, 366
 poisonous gourd 366
Dipteryx cf. *odorata* 415
 disease and pests 32
 dogbane 155
Dolichos buehananii 263
Dolichopus cf. *major* 294
 domestication
 African crops 277
 azuki bean, wild races 384, weed
 races 384
 Cyperus esculentus 65
 nutsedge 68
 dove weed 295
 Dracontomelon dao 195
 dresses 245
 dry granadilla 296
 Drynaria quercifolia 330
 Dryopteris expansa 149
 dung as fuel 399
 durian 339
 Durio zibethinus 339
 Durio species, new 338
 dye 241
 dye cotton 245
 Dysophylla auricularia 333
 Ebenaceae 197
Ecballium elaterium 351, 366
 forage 125
 Egypt 65
 Egyptian tombs 67
Eichornia crassipes 369
 elastomer strengtheners 402
Elephantopus scaber 334
Elettaria cardamomum 67
Elusine indica 295
 emmer 101
Epilates brasiliensis 412
Ephedra gerardiana 259
Ephedranthus amazonicus 412
Epilobium angustifolium 154
 epiphytic Araceae 236
Equisetum arvense 401
 antiviral activity of 402
 silica 401
Erigeron canadensis 385
Eryngium foetidum 412
Erythrina 234
 essential oils 22, 406
 ethnobotany
 Chinese cucurbits 349
 Guayana 293
 Madia sativa 38
 tropical forest extractive reserve
 408
Eugissona utilis 53
Eugenia jambos 416
Eumusa 194
Eupatorium
 odoratum 294
 rebaudianum 336
Euphorbia hirta 332
 Euphorbiaceae 414
Euterpe precatoria 417
 evapotranspiration 300
 evolution 7
 ex situ conservation 368
 extractive reserve
 animal feed 420
 beverages 419
 construction materials 420
 firewood 420
 food 411
 medicines 419
 spices 419
 Fabaceae 55, 121, 415
 Fabaceae/Papilionoideae 198
 false rust, of *Psophocarpus* 189
 Far East, nutsedges 68
 fava bean 101
 feasts, yams 28
 Federated States of Micronesia 25
 fiber
 British Columbia, native sources
 152, 155
 Carludovica palmata 239
 fibrous roots, *Ipomoea* 323
Ficus 234
 benghalensis 68
 hispidula 331
 pumila 331
 spp. 331
 fig-leaf gourd 367
 furniture-making 127
 fireweed 154
 fish line 154
 Flacourtiaceae 197, 415
 flax 101
 flatulence 316
Flemingia
 stricta 332
 strobilifera 332
 flotation, recovery of plant re-
 mains by 396
 fly swatters 238
 folk medicine, north Africa 68
 folk remedy 241
 food 64, 155, 241
 in Eurasia 154
 preparation 238
 processing, economic impor-
 tance 423
 food-grain legumes 310
 footie 295
 forage 18
 forest products, minor 408
 forest product, extraction of 408
 foxtail millet 104
Fragaria chiloensis 39
Fraxinus
 angustifolia 18
 nigra 155
Fritillaria spp. 361
 fructos momordicae 354
 fructose 361
 fruit production 18
 fruit-eating birds 242

- fuelwood 127
Gallesia integrifolia 417
 garapa 419
 garlic 295, 412
Geissospermum cf. *sericeum* 412
 genebanks 368
 genetic
 diversity 368
 erosion, rice 369
 resource conservation 8
Genipa americana 417
Geoffroea decorticans 127
Geonoma deversa 417
 ginger root 419
 glucosephosphate isomerase 283
Glycine
 max 273, 299, 311
 max ssp. *soja* 385
 glycoproteins 426
Gmelina arborea 333
Gossypium
 arboreum 68
 barbadense 172, 415
 hirsutum 172
 Greece, 18th century, nutsedges in 68
 Greece, medieval, foods of 400
 Greek bay 21
 green zeb grass 298
 Green gram 311
Grewia asiatica 331
 growth stages and life cycle, yam 29
Guadua angustifolia 236
Guaiacum spp. 123
 guar 188
Guatteria sp. 412
 guava 295, 416
Guazuma ulmifolia 418
Guevina avellana 39
Guizotia abyssinica 34
 gully root 296
 Guyana 293
Gynierium sagittatum 236
Gynostemma
 aggregatum 351, 365
 compressum 351, 365
 guangxiensis 351, 365
 pentaphyllum 351, 361, 365
 gyosaponin TN-1 261, 361
 gyanosides 361
Habenaria constricta 335
 hallucinogenic bark, *Virola theiodora* 239
 hami-melon 356
 handkerchiefs 245
 hay fever 426
 heart, *Carludovica palmata* 239
 heat insulating materials 402
 hedges 18
Hedyotis sp. 334
Helianthemum 34
Helianthus
 annuus 34, 104
 tuberosus 385
Heliconia 238
Heliocarpus americanus 418
Heliotropium indicum 297, 413
 hemlock 150
 hemostatic properties 238
Hemsleya
 amabilis 351, 361, 365
 chinensis 351, 365
 dipterygia 351, 365
 gigantha 351
 longgangensis 351, 365
 longivillosa 367
 macrosperma 351, 361, 365
 megathyrsa 367
 omeinsis 351, 365
 pengxianensis 351, 365
 sphaerocarpa 351, 365
 villosipetala 367
 wenshanensis 367
 hemslosides 361
Heracleum lanatum 149, 154
 herbal teas 419, 420
Herpetospermum pedunculatum 351, 366
Hesperaloe
 funifera 181
 parviflora 186
Heteropsis oblongifolia 412
Hevea
 brasiliensis 408
 cf. *brasiliensis* 414
Hibiscus
 esculentus 415
 rosasinensis 331
 sabdariffa 272, 298
Hodgsonia macrocarpa 351, 366
Holarrhena pubescence 333
Homalomena sp. 334
 honey, from extractive reserves 409
 Hooker tuber-gourd 366
Hordeum
 bulbosum 397
 sativum 397
 spontaneum 101, wadi race 101
 horsetail 401
 antiviral activity of 402
 silica 401
 human-disturbed habitats 385
Humulus japonicus 385
Hygroryza aristata 373
Hymenachne acutigluma 369
Hymenaea courbaril 413
Hymenodictyon orixense 334
 hypotension 426
Hyptis pectinata 295
 Icacinaceae 415
 IgE assay 429
Imperata cylindrica 385
 in situ conservation 368
 incense 67
 independent domestication 106, 276
 India
 alliums 112,
 Morinda in 244
 Indian mulberry 241
 Indian hemp 155
 indigenous people 239
Inga
 edulis 416
 marginata 416
 ink plant 295
 ink and dye 128
 inner bark, as food 150
Inocarpus fagiferus 196, 198
 insulating materials 402
Ipomea
 batata 193
 batatas 87, 272, 308, 323, 414
 batatas (feral) 323
 cordato-triloba 323
 cynanchifolia 323
 grandifolia 323
 lacunosa 323
 X leucantha 323
 ramosissima 323
 tenuissima 323
 tiliacea 323
 trichocarpa 323
 trifida 323
 triloba 323
 Iran, nutsedges 68
 Iraq, nutsedges 68
Iriartea deltoidea 409, 417
 Iridaceae 415
Irlbachia alata 297
 ironweed 295
 isan 235
Ischnosiphon lasiocoleus 416
 isocitrate dehydrogenase 283
 isozymes 276, 283
 Israel, nutsedges 68
Iva annua 34
Ixora 334
 jackfruit 416
 jams, from extractive reserves 409
Jasminum sp. 333
 Jatropa

- curcas* 414
gossypifolia 414
Jessenia bataua 417
 Joliffieae 366
Juglans regia 257, 259
 juices, from extractive reserves 409
 juniper 67
Juniperus communis 67
Justicia secunda 296
Kalimeris yomena 385
 kava 26, 247
 Kenya 55
 krawatee 295
 Kuala Selangor 45
Lagenaria 95
Lagenaria siceraria 351, 359, 366, 360, 361
 vars. *caugoud* 351; *clavata* 351, 359; *depressa* 351; *gourda* 351; *hispida* 351; *microcarpa* 351
 Lamiaceae 415
 lances 127
Lantana camara 297
Lapita complex 192
 lard fruit 366
 laryngeal edema 426
 lashing 153
 Lauraceae 415
 laurel 21
Laurus nobilis 21
 leaf
 loss 50
 production 50
 pubescence 300
 rust, resistance to 299
 leaf-odor 402
 leaves 233
 lectins 165
 Lecythidiaceae 195, 415
Leea sambucina 332
 Leguminosae 127
 lemon grass 417
 lemon 418
Lens
 culinaris 397
 esculenta 311
 orientalis 100
 lentil 311, 314
Lepidoploa remotiflora 295
Libidibia 123
 lima 102
 lime 298, 418
Linum usitatissimum 101
Lippia alba 418
 liqueurs 419
 lisan 235
Litsea glaucescens 21
 Ilipta 239
Lolium 397
Loniceria involucrata 154
 loofah 359
 angled 366
 smooth 367
Ludwigia erecta 296
Luffa
 acutangula 351, 359, 366
 aegyptiaca 351, 354, 359, 360, 361 367
 vars. *aegyptiaca* 352; *leiocarpa* 352, 359 367
 cylindrica 367
Lycopersicon esculentum 176, 418
Lycopodium cernuum 294
Lygodium flexuosum 330
Macrotyloma geocarpum 272
Macrozamia 133
Madariopsis chilensis 38
 madi 39
 oil 40
Madia
 capitata 35
 chilensis 35
 gracilis 35
 sativa 34, 39, distribution 38; ethnobotany, South America 38, North America 39
Maesa
 indica 331
 ramentacea 332
Maharanga emodi 259
 mahogany 416
 maito 238
 maize 95, 102, 272
 dent 72
 races of 72
 numerical taxonomy 72
Malva
 sp. 397
 verticillata 259
 Malvaceae 415
 man information bush 295
 man grass 295
Mangifera indica 412
 mango 412
 manihot 193
Manihot esculenta 193, 238, 272, 307, 414
Manilkara sp. 418
 manioc 414
 manna 18
 mantle communities, and azuki bean 385
 maple 153
Maprounea guianensis 295
Maranta arundinacea 416
 Marantaceae 238, 416
 marigold tea 426
 marota 306
 marran 296
 mat making 153
Matricaria
 chamomilla 426
 recutita 426
Mauritia flexuosa 235, 417
 mayamal 296
Medicago sp. 399
 medicinal plants
 Puyana 293
 Northwest Coast 151, 154
 medicinal herb, threatened species 337
 medieval Greece, turnip in 399
 Melanesia 192
 Meliaceae 416
 melon 414
 Melothriaceae 365
Mentha
 citrata 415
 longifolia 259
Methysticodendron amesianum 177
Metroxylon
 sagu 198, 305
 upoluense 305
 vitiense 306, 308
 warburgii 305
Metroxylon starch 306
 Mexican bay 22
Mezilaurus palcazuensis 415
Miconia 234
Mikania micrantha 294
 milho 417
 Mimosaceae 416
 minnie root 296
 Minoan 66
Minuartia guianensis 416
Miscanthus sinensis 385, 390
 molluscicidal extract 406
Momordica
 charantia 295, 352, 360, 361, 366
 cochinchinensis 352, 360, 366
 money bush 296
 Monimiaceae 416
 monkey apple 296
 monophyly 105
Montichardia arborescens 296
 Moraceae 194, 198, 416
Morinda
 angustifolia 334
 aspera 248
 bracteata 241

- buchii* 253
citrifolia 200, 241, 242, 246; var.
 potteri 242
coreia 245, 248
indica 241
lucida 249
microcephala 249
mouensis 253
padavara 249
panamensis 253
parvifolia 253
reticulata 253
royoc 250
 spp. 241
tetrandra 249
tinctoria 245, 248
tomentosa 248
umbellata 249
yucatanensis 250
 morinda
 dye 244
 fruit 244
 morindone 249
 morindonin 249
 morphometrics, African yam bean
 276, 283
 mucka-mucka 297
Mucuna monosperma 332, 334
 multi-purpose trees 121
 multiple domestications 106, 276
 multivariate analysis, maize 73
 mung bean 311, 314
Musa 6
 sections *Eumusa* and *Australi-*
 musa 196, 198
 sp. 416
 paradisica 334
 textilis 181
Musa hybrids 194
 Musaceae 194, 198, 416
 muskmelon 357, 365
Mussaenda roxburghii 334
 Mussau Islands 192
 Mycenaens 65
Myroxylon balsamum 415
 myrrh 67
 Myrtaceae 123, 199, 416
 nacumas 238
 Napo Province 234
Nardostachys grandiflora 259
 ne'e horo 235
 ne'e 235
 Neolithic revolution 68
 Neolithic, crop domestication 101
Nesphostylis 262
 nets 154
 nettle 155
 new crops 7
 New World crops 102
Nicotiana tabacum 259, 418
 niger 34
 Nile valley 64
 Nipa growth, effects of cutting on
 50
 nipa palm 45
Nolina 181
 noni 241, 243
 nordamnacanthal 249
 numerical taxonomy, maize 72, 83
 nuñas 164
 nutritional value, *Sphenostylis*
 stenocarpus 273
 nutritive value, nuñas 164
 nuts 39
 from extractive reserves 409
 nutsedges 68
 in the ancient Old World 65
 eastern Mediterranean 64
 Iran 68
 Iraq 68
 Israel 68
 oats 99
Ochroma 234
 pyramidale 413
 campechianum 415
Oenocarpus mapora 417
 mapora X *Jessenia bataua* 417
 oil
 palm 6
 crop 41
 seed, *Carludovica palmata* 238
 of Roman chamomile 426
 Olacaceae 416
 oligophyly 105
 oligosaccharides 316
 onion 412
Operculina hamiltonii 414
Ophiorrhiza harrisiana 334
Oplopanax horridum 152
Opuntia
 amyclaea 10
 dillenii 10
 ficus-indica 10
 spp. 11
Oroxylum indicum 334
Oryza
 australiensis 375
 barthii 373
 brachyantha 375
 breviligulata 375
 eichingeri 373
 glaberrima 368
 granulata 373
 longistaminata 373
 meyeriana 373
 nivara 369, 373
 officinalis 373; (tetraploid form)
 373
 punctata 373
 rhizomatis 373
 ridleyi 373
 rufipogon 369; extinction 368;
 urban development 368
 sativa 68, 105, 368, 417
 officinalis 369
Oryza, diversity 369
Osmia odorata 294
 over-harvesting, Nipa 52
 Oxalidaceae 416
Oxalis 115
 corniculata 259, 333
Paederia lanuginosa 334
 pagoma 235
 paja toquilla 233
 Paleolithic, late- 66
 palm, hearts 239; leaf buds 233,
 nipa 45
 Palmaceae 194
 Palmae 199, 417
 Panama hat palm 233
 Panama hats 239
Pandanus
 conoideus 196
 dubius 196
 engelerianus 196
 kaernbachii 196
 tectorius 197
Pangium edule 196
Panicum
 repens 369
 sp. 397
 papaya 106, 193, 414
 paper 181
 paper birch 154
 Papilionoideae 127
 Papuan walnut 195
Paratocarpus venenosus 196
Paris polyphylla 259
Parnassia nubicola 259
Parthenium hysterophorus 429
Passiflora
 cf. *coccinea* 417
 foetida 297
 quadrangularis 296
 sp. 417
 Passifloraceae 417
 passion fruit 417
 pastalon 296
Pausandra trianae 415
Pavetta sp 334
 peanut 311, 315
 pearl millet 104
 Pedaliaceae 417
 Peninsular Malaysia 45

- Pennisetum glaucum* 104
Peperomia pellucida 297
 pepper, sweet 418
 perfume plants 67
 perfume 64
 perfumed oils 66
 periwinkle 296
Persea americana 415
Persicaria longiseta 385
 pest repellents 421
 pests and diseases 273
 petioles 233
Petiveria alliacea 296
 pettu 154
Phalaris sp. 397
Pharbitis
 a. tifolius 102
 coccineus 102
 lunatus 102
 vulgaris 102, 127, 164, 299, 415
 phenology 127
 phloem 149
Phoenix sylvestris 334
 6-phosphogluconate dehydroge-
 nase 283
 phosphoglucomutase 283
Phyllanthus
 niruri 415
 reticulatus 332
 phylogeny 276
Phytelphas
 macrocarpa 417
 microcarpa 236
 phytohemagglutinins 165
 Phytolaccaceae 417
Picca
 glauc 151
 smithiana 257
 pickled cucumbers 354
Picrorhiza scrophulariiflora 259
 pigeon pea 296, 311
 pineapple 413
Pinus
 contorta 150
 ponderosa 154
 roxburghii 257
 syilvestris 154
 wallichiana 257
Piper
 bette 199
 methysticum 26
 nigrum 94
 obliquum 295
 sp. 331
 pistachio 13
Pistacia vera 13
Pisum
 humile 100
 sativum 397
 piti-quana 196
Pittyrogramma calomelanos 296
 plant domestication 68
Plantago major 260
Plasmodium spp. 249
Pleioblastus simonii 385
Plumbago indica 331
Poa sp. 397
 Poaceae 417
Podophyllum hexandrum 260
 Pohnpei 25
 pollen chamomile 428
Polygonum
 corrigioloides 397
 verticillatum 260
Polymnia connata 38
Pometia pinnata 197
 ponderosa pine 154
 popping beans 164
 population data, Nipa 50
Populus
 balsamifera 151, ssp. *trichocar-*
 pa 151
 tremuloides 151
Porlieria chilensis 123
 potato 6, 86, 418
 introduction into England 86,
 Spain 86
Potentilla fulgens 260
 potherb 238
 pounded cedar fiber 153
Pouteria caimito 418
 powdery mildew 273
 pre-Columbian
 contacts 98
 illustration 175
Premna esculenta 333
 primary Near Eastern domesti-
 cates 100
Prinsepia utilis 260
 printing fern 296
Prosopis 121, 129
 protein 426
 of tubers 273
 pruritus 426
 pseudo-fritillary, *Bolbostemma*
 365
Psidium guajava 295, 416
Psophocarpus
 grandiflorus 188
 lancifolius 189
 lecomtei 190
 lukajensis 190
 monophyllus 190
 obovalis 190
 palustris 188
 scandens 188
 tetragonolobus 187, 189, 273
Pueraria lobata 385
 pulses 310
 pumpuna 235
 purple nutsedge 68
 quebracho 55
Quebracho Blanco 129
Quercus floribunda 257
 Quichua ethnobotany 233
 raffinose 316
 ragweed 428
 rain forest hunters and gatherers
 53
 rattan palm 52
 red osier 155
 Red hail stone 366
 redbud 155
 reforestation 125
Renealmia exaltata 295
 reproductive phenophases 49
 resource management 408
Reynoutria japonica 385
Rheedia macrophylla 414
Rheum australe 260
 rhizome 238
Rhododendron
 arboreum 257
 campanulatum 257
Rhus coriaria 13
 rice
 Brazil 417, cultivars 370, deep-
 water 371, domestication 105,
 floating 371, genetic diversity of
 371, genetic drift in 372, gluti-
 nous 378, 390, gruel 390, in
 agroecosystems 374, Indonesia
 372, Malaysia 376, Mekong
 Delta 371, mixed varieties 376,
 Nepal 372, Papua New Guinea
 372, Sierra Leone 376, Thailand
 372, West African 368
 rockbalsam 296
Rollinia mucosa 412
 roofing 153
Rosa sericea 260
 rose apple 416
Rourea commutata 332
 rubber 6, 408, 414
 rubber goods, from extractive re-
 serves 409
Rubia tinctorum 247
 Rubiaceae 241, 417
 rubichloric acid 247
Rubus hirsutus 385
Ruellia tuberosa 296

- Rumex nepalensis* 260
Rungia pectinata 334
Ruta graveolens 418
 Rutaceae 418
 rye 99
Saccharum sp. 417
 sadu 305
 safflower 34
Sagina 397
 sago 198, 305, palm 53, starch 308
 sagu 305
Salix scouleriana 154
 salt-resistant 242
 salted vegetables 354
Sambucus cf. *mexicana* 414
 sand bitters 296
Sansevieria roxburghiana 335
 Sapotaceae 418
Sarcococca hookeriana 260
 sarsparilla 296
 satinwood 242
 Scandinavia 154
Scheelia princeps 417
Schinopsis 55
 quebracho-colorado 128
Scirpus 155
Scleria 414
Scoparia dulcis 297, 333, 418
 Scrophulariaceae 418
Scutellaria agrestis 415
 sea almond 195
 seasonality, yams 27
Secale cereale 99
Sechium edule 352, 361
 secondary dispersal 242
 secondary domesticates 99
 Secoya 234
Sedum divergens 154
 seed(s)
 black watermelon 356
 Cycas 135
 dispersal, ecology of 124
 madi oil 40
 naked 359
 Carludovica palmata, oil 238
 palm 38
 pumpkin 356
 red watermelon 356
 Sphenostylis 262
 selection of cultivars 28
Selinum tenuifolium 260
 semito 297
Senna occidentalis 413
 sesame 417
Sesamum indicum 417
Setaria
 italica 104
 sp. 397
 viridis 385
 shak shak 296
 shiny bush 297
 Short petiole tuber-gourd 366
 Shuar ethnobotany 233
 Sicilian
 agriculture 11
 sumac 13
Sicyos angulatus 352
Sida acuta 331
 silica 401
 assays 403
 colloidal 404
 colloidal, products 405
 content, horsetail 401, *Equisetum arvense* 401
 extraction, boiling water 403
 extraction, ultrasonic 403
 silicon carbide 402
 silvopastoral 121
 simatoo 297
 Siona 234
Siparuna
 cf. *guianensis* 416
 sp. 416
Siraitia
 grosvenorii 361, 352, 366
 siamensis 352, 366
 sisal 181
Skimmia anquertilia 260
 sleeve plant communities, azuki
 populations in 385
Smilax 295
 Snake-gourd
 Chinese 366
 edible 366
 entire leaf 366
 Japanese 366
 Jinggan Mountain 366
 lepin 366
 long sepal 366
 Mongolian 366
 red flower 366
 round seed 366
Socratea exorrhiza 417
 truncate 366
 sodium silicates 402
 Solanaceae 418
 Solanaceous flowers 176
Solanum 6, 234, 272
 aculeatissimum 260
 nigrum 294
 stramonifolium 294
 tuberosum 86, 270, 418
 subsp. *andigena* 91
 soldier pusley 297
Solena amplexicaulis 352, 365
Solidago altissima 385
Sonchus oleraceus 385
 soranjidol 247
Sorbus spp. 154
Sorghum bicolor 105
Sorocea muriculata 416
 sorrel 298
 sour-sop 297
 South American, *Madia sativa* 34
 Southeast Asia, Nipa vegetation
 45
 soybean 299, 311, 315
Sparganophorus vaillantii 294
 Sparta, medieval, foods 400
Sphenostylis 262
 angustifolia 273
 congensis 270
 erecta 263, 264
 schweinfurthii 263, 264
 stenocarpa 188, 262, 264, 276,
 277, 282
 cpDNA 285, genotypes 285,
 isozymes 285
 zimbabwensis 273, 282
Spilanthes calva 334
 spindle whorls 172
 Spiny bitter-melon 366
Spondias
 dulcis 195
 mombin 412
 spruce 151
 squash 367, 414
 squiring-cucumber 366
 St. John bush 296
 stachyose 316
Stachytarpheta cayennensis 294
 star fruit 416
 starch 305, 419
 stem rust 273
Stephania
 glandulifera 260
 japonica 331
Sterculia colorata 331
 Sterculiaceae 418
Stereospermum personatum 334
Stevia rebaudiana 336
Stigmanthus cymosus 249
 stonecrop 154
Streblus asper 331
 string, cedar block 153
Strobilanthes sp. 334
 stuffing-cucumber 367
 subsistence root crops 26
 subsistence 52
 subsistence uses of nipa 45
 sugar cane 6, 417
 sulfur fumes 239
 sunflower 34, 104
 sunlight 239
 super-sweetener mogrol I-IV 361
 survival food 151, 154

- susceptibility, *Synchytrium psophocarpi* 189
 sweet
 beans 390, potatoes 193, 272, 414
 sweet broom 297
 sweet flag 67
 sweet sage 297
 sweet heart 295
 sweetener 151
 Stevia rebaudiana 336
Swertia nervosa 260
Swietenia macrophylla 416
Symphoricarpos albus 154
Symphytum officinale 413
 synchronicity of agricultural origins 106
Synchytrium psophocarpi 188
 systematics 7
Syzigium
 aqueum 196, 199
 fruticosum 332
 malaccense 196, 199
 samarangense 195, 199
Tacca lentipetaloides 307
Tachigali sp. 413
 Tahitian chestnut 198
Tanacetum vulgare 413
 tangerine 418
 tannin(s) 128, 165
 analysis 59
 tanning industry 55
 tapa cloth 245
Taraxacum officinale 260
 taro 412
 tarpaulins 153
 tarweeds 39
 Taxco, Mexico 21
 teas, asteraceous 426
Telfairia occidentalis 272
 teosintes, wild annual 202
 tepary 102
Terminalia
 belirica 332
 catappa 195, 196
 whitmorei 196, 197
Tetragastris altissima 413
Tetrathylacium 234
 Thai buddist fruit 366
 thatch 233, 235, 420
Theobroma
 cacao 418
 grandiflorum 418
 speciosum 418
 thermal conductivity 300
Thladiantha
 cordifolia 352, 366
 dubia 352, 366
 henryi 352, 366
 hookeri 352, 366
 nudiflora 352, 366
 sessilifolia 352, 366
 verrucosa 367
Thoracocarpus bissectus 414
 thrips 273
Thuja plicata 149, 153
Thunbergia grandiflora 334
Thymus linearis 260
 tiger nuts 65
 Tiliaceae 418
Tinospora cordifolia 331
 tobacco 418
 tomato 418
 tools 127
 toothpaste 402
 torches 154
 toxicity 145
 toyo 297
 trans-2-hexenal 402
 transpiration and leaf pubescence 300
 tree crops 194
 tree cambium 149
Trevesia palmata 333
 tributes, yam 29
 trichome(s) 299
 density of 303
 distribution of 303
 hooked 303
 silicon in 303
Trichoplusia ni 299
 Trichosantheae 366
Trichosanthes
 anguina 352, 366
 cucumerina 352, 366, var. *cucumerina* 352
 cucumeroides 352, 360, 366
 hylonoma 352, 366
 jinggangshanica 352, 366
 kirilowii 352, 366
 laceribractea 353, 366
 lepiniana 353, 366
 multiloba 367
 ovigera 353, 366
 rosthornii 353, 366
 rubriflos 353, 366
 ssp. 361
 tricuspidata 353, 366
 truncata 353, 366
 villosa 353, 366
 wallichiana 353, 366
Trifolium sp. 399
Trigonella sp. 399
Triticum
 araraticum 100, 101
 boeoticum 100
 dicoccoides 100
 dicoccum 101
 timopheevii 100
 urartu 100
 tropical forest 408
 true mangrove 45
Trypanosoma brucei brucei 249
 trypsin inhibitors 273
Tsuga heterophylla 150
 tuber-gourd 366
 tubers 65, 262
 turbans 245
 turnip, archaeological, anatomy of 397
 twined bark fiber 153, 154
Typha 155
Ullucus tuberosus 106
 Ulmaceae 418
 umbrella 238
 unguents 66
Unxia camphorata 296
 urd bean 311
Urena lobata 297
Urera 234
 uri-balli 297
Uromyces appendiculatus 299
Urtica dioica 155, 260
 urticaria 426
 urucu 419
 uttuo 235
Valeriana
 hardwickii 260
 jatamansi 260
 vegetable
 production in China 354
 salted 354
 tannins 55
 velvet bush 297
 verbascose 316
Verbascum thapsus 260
 Verbenaceae 418
 vernacular names 246
Vernonia
 amygdalina 272
 cinerea 297
 condensata 413
Vernonia 234
 vertical stratification of tropical forests 193
Vicia
 ervilia 397
 fabia 101, 397
Vigna
 angularis 385; vars. *angularis* 385, *nipponensis* 385
 minimus minor 392
 mungo 311
 nakashimae 392
 radiata 311
 reflexo-pilosa 392
 unguiculata 273, 311

- Virola theiodora* 239
 vitamin C 361
Vitex peduncularis 333
 Wadi Kubhaniya 71
Waltheria indica 297
 Waorani 234
 watermelon 193, 356, 366, 414
 waterproof wrappings 154
 wattle 55
 substitute 62
 tannin 55
 wax-gourd 366
Wedelia
 brachycarpa 38
 trilobata 297
 weed azuki 390
 weeds, and domestication 64, in
 classical literature 68
 West African rice 368
 West Indian gherkin 414
 wetland ecosystems 45
 wetlands 45
 white clary 297
 wild, annual teosintes 102; azuki
 390; barleys 101; black pep-
 per 297; clary 297; einkorn
 100; emmer wheat 100; green
 tea 297; lentil 100; pea 100;
 perennial 369; rice 368; sorrel
 297
 wild rices, annual 369, genetic het-
 erogeneity of 369, in Herbaria
 374
 willows 154
 windbreak 18, 242
 winged bean 187
 cytotaxonomic evidence 189
 winter squash 367
 wiri-wiri 297
 woman information bush 297
 wood 127, 242
 wool 245
Xanthium occidentale 385
Xanthosoma 272
Xerophyllum tenax 155
 yam, cultivation practices 33, Mi-
 cronesia 28, Pohnpei 25, sea-
 sonality 28
 yellow and purple nutsedges 64
 yellow creeping daisy 297
Yucca elata 181
 Zanonieae 365
 Zanonioideae 365
Zanthoxylum
 armatum 261
 brachyacanthum 242
Zea
 luxurians 102
 mays 73, 102, 272, 417
 zeb grass 298
Zebrina pendula 298
Zehneria
 indica 353, 365
 umbellata 331
 zigzag leafhopper 369
Ziziphus mistol 129
 Zygothallaceae 123

VOLUME 46: INDEX TO AUTHORS AND TITLES

- Abbas, Jameel A., Ahmed A. El-Oqlah, and Adel M. Mahasneh, Herbal Plants in the Traditional Medicine of Bahrain 158-163
 Aboriginal Preparation of *Cycas* Seeds in Australia, Wendy Beck 133-147
 Alam, M. K., Medical Ethnobotany of the Marma Tribe of Bangladesh 330-335
 Alarcón, R., see Bennett, B.C., et al.
 Allergenic Potential of Commercial Chamomile, *Chamaemelum nobile* (Asteraceae), Walter H. Lewis 426-430
 Anderson, Robert N. see Edward E. Schilling
 Arboriculture in the Mussau Islands, Bismark Archipelago, Dana Lepofsky 192-211
 Aronson, James and Carlos Saravia Toledo, *Caesalpinia paraguariensis* (Fabaceae): Forage Tree for all Seasons 121-132
 Austin, Daniel F., see Díaz, Jaime, et al.
 Austin, Daniel F. and Godfrey R. Bourne, Notes on Guyana's Medical Ethnobotany 293-298
 Barbera, Giuseppe Francesco Carimi, and Paolo Inglese, Past and Present Role of the Indian-Fig Prickly Pear [*Opuntia ficus-indica* (L.) Miller, Cactaceae] 10-20
 Beck, Wendy, Aboriginal Preparation of *Cycas* Seeds in Australia 133-147
 Begonias as Food and Medicine, Joseph E. Laferrière 114-116
 Bennett, B.C., R. Alarcón, and C. Cerón, The Ethnobotany of *Carludovica palmata* (Cyclanthaceae) in Amazonian Ecuador 233-240
 Benz, Bruce F. and Hugh H. Iltis, Evolution of Female Sexuality in the Maize Ear (*Zea mays* L. subsp. *mays*-Gramineae) 212-222
 Bhattarai, N.K., Medical Ethnobotany in the Karnali Zone, Nepal 257-261
 Blumler, Mark A., Independent Inventionism and Recent Genetic Evidence on Plant Domestication 98-111
 Bourne, Godfrey R., see Austin, Daniel F.
 Brick, Mark A., see Dahlin, Ron M., et al.
Caesalpinia paraguariensis (Fabaceae): Forage Tree for all Seasons, James Aronson and Carlos Saravia Toledo 121-132
 Carimi, Francesco see Barbera, Giuseppe
 Cerón, C. see Bennett, B.C.
 Chang, Te-Tzu see Vaughan, Duncan
 Characterization and Density of Trichomes on Three Common Bean Cultivars, Ron M. Dahlin, Mark A. Brick, and J. Barry Ogg 299-304
 Common Names and Species Identification in Black Nightshades, *Solanum* sect. *Solanum* (Solanaceae),

- Edward E. Schilling, and Robert N. Anderson 223-225
- Cox, Paul Alan *see* McClatchey, Will
- Dahlin, Ron M., Mark A. Brick, and J. Barry Ogg. Characterization and Density of Trichomes on Three Common Bean Cultivars 299
- de la Puente, Fermin, *see* Díaz, Jaime, et al.
- Díaz, Jaime, Fermin de la Puente, and Daniel F. Austin. Enlargement of Fibrous Roots in *Ipomoea batatas* (Convolvulaceae) 322-329
- The Distinguished Economic Botanist Award 1991, 1-3
- Doyle, Jeff J., *see* Potter, Daniel
- Economic Botany of *Sphenostylis* (Leguminosae), Daniel Potter 262-275
- El-Oqlah, Ahmed A. *see* Abbas, Jameel A., et al.
- Enlargement of Fibrous Roots in *Ipomoea batatas* (Convolvulaceae) Jaime Díaz, Fermin de la Puente, and Daniel F. Austin 322-329
- The Ethnobotany of *Carludovica palmata* (Cyclanthaceae) in Amazonian Ecuador, B.C. Bennett, R. Alarcón, and C. Cerón 233-240
- Ethnobotany and the Economic role of the Cucurbitaceae in China Si-Lin Yang, and Terrence W. Walters 349
- Evolution of Female Sexuality in the Maize Ear (*Zea mays* L. subsp. *mays*-Gramineae), Bruce F. Benz and Hugh H. Iltis 212-222
- Exploitation of the molecular potential of plants *Equisetum arvense* (Equisetaceae), Gérard Vilarem, Francis Périneau, and Antoine Gaset 401-407
- Fong, F. W., Perspectives for Sustainable Resource Utilization and Management of Nipa Vegetation 45-54
- Francisco-Ortega, J. *see* J. G. Hawkes
- Further Evidence on the Origin of the Cultivated Winged Bean, *Psophocarpus tetragonolobus* (L.) DC. (Fabaceae): Chromosome numbers and the Presence of a Host-Specific Fungus, Daniel K. Harder and Joseph Smartt 187-191
- Gaset, Antoine *see* Vilarem, Gérard
- Goodman, M. M., *see* Sanchez G., J. J.
- Gottesfeld, Leslie M. Johnson. The importance of Bark Products in the Aboriginal Economies of Northwestern British Columbia 148-157
- Harder, Daniel K. and Joseph Smartt, Further Evidence on the Origin of the Cultivated Winged Bean, *Psophocarpus tetragonolobus* (L.) DC. (Fabaceae): Chromosome numbers and the Presence of a Host-Specific Fungus 187-191
- Hather, Jon G., Leonor Peña-Chocarro, and Elizabeth J. Sidell. Turnip remains from Byzantine Sparta 395-400.
- Hawkes, J. G. and J. Francisco-Ortega, The Potato in Spain During the Late 16th Century 86
- Herbal Plants in the Traditional Medicine of Bahrain, Jameel A. Abbas, Ahmed A. El-Oqlah, and Adel M. Mahasneh 158-163
- Hill, Madalene *see* Tucker, Arthur O., et al.
- Iltis, Hugh H. *see* Benz, Bruce F.
- In situ conservation of rice genetic resources, Duncan Vaughan and Te-Tzu Chang 368-383
- Independent Inventionism and Recent Genetic Evidence on Plant Domestication, Mark A. Blumler 98-111
- Intraspecific Variation in Fiber Properties in *Yucca elata* and *Hesperaloe funifera* (Agavaceae) Steven McLaughlin and Susan M. Schuck 181-186
- Inglese, Paolo *see* Barbera, Giuseppe, et al.
- Kornegay, Julia, *see* van Beem, Janny
- Laferrière, Joseph E., Begonias as Food and Medicine 114-116
- Lareo, Leonardo, *see* van Beem, Janny
- Representations on Pre-Columbian Spindle Whorls of the Floral and Fruit Structure of Economic Plants, Dorothy McMeekin 171-180
- Lepofsky, Dana. Arboriculture in the Mussau Islands, Bismark Archipelago 192-211
- Less known Wild Species of *Allium* L. (Amaryllidaceae) from Mountainous Regions of India, K. S. Negi, and K. C. Pant 112-114
- Lewis, Walter H., Allergenic Potential of Commercial Chamomile, *Chamaemelum nobile* (Asteraceae) 426-430.
- Litsea glaucescens* Humb., Bonpl. & Kunth var. *glaucescens* (Lauraceae): A Mexican Bay, Arthur O. Tucker, Michael J. Maciarello, and Madalene Hill 21-24
- Lorens, Adelino *see* Raynor, Bill, et al.
- Maciarello, Michael J. *see* Tucker, Arthur O. et al.
- Madia sativa* Mol. (Asteraceae-Heliantheae-Madiinae): An Ethnobotanical and Geographic Disjunct, Elsa Zardini 34-44
- Mahasneh, Adel M. *see* Abbas, Jameel A., McClatchey, Will and Paul Alan Cox, Use of the Sago Palm *Metroxylon warburgii* (Palmae) in the Polynesian Island, Rotuma 305-309
- McLaughlin, Steven and Susan M. Schuck, Intraspecific Variation in Fiber Properties in *Yucca elata* and *Hesperaloe funifera* (Agavaceae) 181-186
- McMeekin, Dorothy, Representations on Pre-Columbian Spindle Whorls of the Floral and Fruit Structure of Economic Plants 171-180
- Medical Ethnobotany of the Marma Tribe of Bangladesh, M. K. Alam 330-335
- Medical Ethnobotany in the Karnali Zone, Nepal N.K. Bhattarai 257-261
- Morton, Julia F., The Ocean-Going Noni, or Indian Mulberry (*Morinda citrifolia*, Rubiaceae) and Some of Its "Colorful" Relatives 241-256
- Moshe Negbi, L., A Sweetmeat Plant, A Perfume Plant and Their Weedy Relatives: A Chapter in the History of *Cyperus esculentus* L. and *C. rotundus* 64-71
- Mugedo, James Z. A. and Peter G. Waterman, Sources of Tannin: Alternatives to Wattle (*Acacia mearnsii*) among Indigenous Kenyan Species 55-63

- Negi, K. S., and K. C. Pant, Less known Wild Species of *Allium* L. (Amaryllidaceae) from Mountainous Regions of India 112-114
- Notes on Guyana's Medical Ethnobotany, Daniel F. Austin and Godfrey R. Bourne 293-298
- Nutritive value of the Nuña Popping Bean, Janny van Beem, Julia Kornegay, and Leonardo Lareo 164-170
- The Ocean-Going Noni, or Indian Mulberry (*Morinda citrifolia*, Rubiaceae) and Some of Its "Colorful" Relatives, Julia F. Morton 241-256
- Ogg, J. Barry, see Dahlin, Ron M., et al.
- Origins of the African Yam Bean (*Sphenostylis stenocarpa*, Leguminosae): Evidence from Morphology, Isozymes, Chloroplast DNA, and Linguistics, Daniel Potter, and Jeff J. Doyle 276-292
- Pant, K. C. see K. S. Negi
- Past and Present Role of the Indian-Fig Prickly Pear [*Opuntia ficus-indica* (L.) Miller, Cactaceae], Giuseppe Barbera, Francesco Carimi, and Paolo Inglese 10-20
- Peña-Chocarro, Leonor, see Hather, Jon G., et al.
- Périneau, Francis see Vilarem, Gérard, et al.
- Perspectives for Sustainable Resource Utilization and Management of Nipa Vegetation, F. W. Fong 45-54
- Phillip, Jackson see Raynor, Bill, et al.
- The Potato in Spain During the Late 16th Century, J. G. Hawkes and J. Francisco-Ortega 86-97
- Potter, Daniel and Jeff J. Doyle, Origins of the African Yam Bean (*Sphenostylis stenocarpa*, Leguminosae): Evidence from Morphology, Isozymes, Chloroplast DNA, and Linguistics 276-292
- Potter, Daniel, Economic Botany of *Sphenostylis* (Leguminosae) 262-275
- Raynor, Bill, Adelino Lorens, and Jackson Phillip, Traditional Yam Cultivation on Pohnpei, Eastern Caroline Islands, Micronesia 25-33
- Reflections on Five Crops, N. W. Simmonds 4-9
- Relationships Among the Mexican Races of Maize, J. J. Sanchez G. and M. M. Goodman 72-85
- Sanchez G., J. J. and M. M. Goodman, Relationships Among the Mexican Races of Maize 72-85
- Saravia Toledo, Carlos see Aronson, James
- Schilling, Edward, E., and Robert N. Anderson, Common Names and Species Identification in Black Nightshades, *Solanum* sect. *Solanum* (Solanaceae) 223-225
- Schuck, Susan M., see McLaughlin, Steven
- Sidell, Elizabeth J., see Hather, Jon G. et al.
- Simmonds, N. W., Reflections on Five Crops 4-9
- Singh, B. see Singh, U.
- Singh, U. and B. Singh, Tropical grain Legumes as Important Human Foods 310-321
- Smartt, Joseph, see Harder, Daniel K.
- Society for Economic Botany 117-118
- Sources of Tannin: Alternatives to Wattle (*Acacia mearnsii*) among Indigenous Kenyan Species, James Z. A. Mugo and Peter G. Waterman 55-63
- A Sweetmeat Plant, A Perfume Plant and Their Weedy Relatives: A Chapter in the History of *Cyperus esculentus* L. and *C. rotundus* L., Moshe Negbi 64-71
- Tapping women's knowledge: plant resource use in extractive reserves, Acre, Brazil, Karen A. Kainer, and Mary L. Duryea 408-425
- The importance of Bark Products in the Aboriginal Economies of Northwestern British Columbia, Leslie M. Johnson Gottesfeld 148-157
- Traditional Yam Cultivation on Pohnpei, Eastern Caroline Islands, Micronesia, Bill Raynor, Adelino Lorens, and Jackson Phillip 25-33
- Tropical grain Legumes as Important Human Foods U. Singh and B. Singh 310-321
- Tucker, Arthur O., Michael J. Maciarelo, and Madalene Hill, *Litsea glaucescens* Humb., Bonpl. & Kunth var. *glaucescens* (Lauraceae): A Mexican Bay 21-24
- Turnip remains from Byzantine Sparta, Jon G. Hather, Leonor Peña-Chocarro, and Elizabeth J. Sidell 395-400.
- Use of the Sago Palm *Metroxylon warburgii* (Palmae) in the Polynesian Island, Rotuma, Will McClatchey and Paul Alan Cox 305-309
- van Beem, Janny, Julia Kornegay, and Leonardo Lareo, Nutritive value of the Nuña Popping Bean 164-170
- Vaughan, Duncan, and Te-Tzu Chang, In situ conservation of rice genetic resources 368-383
- Vilarem, Gérard, Francis Périneau, and Antoine Gaset, Exploitation of the molecular potential of plants *Equisetum arvense* (Equisetaceae) 401-407
- Waterman, Peter G. see Mugo, James Z. A.
- Wild and Weed Azuki Beans in Japan, Hirofumo Yamaguchi 384-394
- Yamaguchi, Hirofumo, Wild and Weed Azuki Beans in Japan, 384-394
- Zardini, Elsa, *Madia sativa* Mol. (Asteraceae-Heliantheae-Madiinae): An Ethnobotanical and Geographic Disjunct 34-44

MANUSCRIPT REVIEWERS 1992

David Austen	Charles Hubbuch	Julia Morton
Marvin O. Bagby	Eugene Hunn	Lytton J. Musselman
Michael Balick	Timothy A. Johns	Margaret Nye
Kamal Bawa	Dennis V. Johnson	Fred Owino
P.V. Boyle	S.K. Kapur	Robert W. Reed
Raymond D. Brighton	Gerald Kelso	Judith Schmidt
Stephen Brush	Richard Kesseli	Gerald J. Seiler
Merle C. Carr	A. Douglas Kinghorn	David Siegler
James Duke	John O. Kokwaro	Joseph Smartt
W. Hardy Eshbaugh	David Lentz	David Spooner
Peter Felker	Walter Lewis	Manickam Sugumaran
John Freeberg	Elaine Loyal	John W. Thieret
Paul Grun	Robin J. Marles	Kathy Truman
Charlotte Gyllenhaal	James R. McFerson	Nancy J. Turner
Julie Hansen	Steve McLaughlin	Garrison Wilkes
Jack Hawkes	Daniel E. Moerman	Elsa Zardini

VOLUME 46: INDEX TO BOOKS REVIEWED

- Advances in New Crops: Proceedings of the First National Symposium NEW CROPS: Research, Development, Economics. Indianapolis, Indiana, October 23-26, 1988. Jules Janick and James Simon, eds. 226-227
- Antique Flowers: Perennials, R. Proctor 345
- Avances en el Estudio de los Recursos Fitogenéticos de México (Advances in Research on Plant Genetic Resources of Mexico). P.R. Ortega, G. Palomino, H., F. Castillo G., V. A. González H., and M. Livera M. (eds.) 228-230
- Balagopalan, C., G. padmaja, S.K. Nanda, and S.N. Moorthy Cassava in Food, Feed, and Industry 345-346
- Bebawi, Faiz Faris, and Lars Neugebohrn, A Review of Plants of Northern Sudan with Special Reference to their Uses 432-433
- Birks, Hilary H., Peter Emil Kaland, Dagfinn Moe (eds.) The Cultural Landscape: Past, Present, and Future 342-344
- Brian, R., Marketing Fresh Fruits and Vegetables 344-345
- Brooks, Robert R., and Dieter Johannes, Phytoarchaeology 342-344
- Cassava in Food, Feed, and Industry. C. Balagopalan, G. padmaja, S.K. Nanda, and S.N. Moorthy 345-346
- Catálogo de Plantas útiles de la Amazoní Peruana, Richard A. Rutter 186
- Catálogo de Plantas Medicinales Sonorenses, Rigo-berto López Estudillo and Alicia Hinojosa García 431
- Chandra, Sudhir, Foundations of Ethnobotany (Pre-1900 Ethnobotany—A Review and Bibliography) 344
- The Chelsea Gardener: Philip Miller 1691-1771, Hazel Le Rougetel 226
- The Conservation of Artifacts made from Plant Materials, Mary-Lou E. Florian, Dale Paul Kronkright, and Ruth E. Norton 431-432
- The Cultural Landscape: Past, Present, and Future. Hilary H. Birks, Peter Emil Kaland, Dagfinn Moe (eds.) 342-344
- Davidson, Alan, and Charlotte Knox, Fruit: A Connoisseur's Guide and Cookbook 433
- Florian, Mary-Lou E., Dale Paul Kronkright, and Ruth E. Norton The Conservation of Artifacts made from Plant Materials 431-432
- Foragers and Farmers: Population Interactions and Agriculture Expansion in Prehistoric Europe. Susan Alling Gregg 342-344
- Foundations of Ethnobotany (Pre-1900 Ethnobotany—A Review and Bibliography), Sudhir Chandra 344
- Fruit: A Connoisseur's Guide and Cookbook, Alan Davidson, and Charlotte Knox 433
- Gregg, Susan Alling, Foragers and Farmers: Population Interactions and Agriculture Expansion in Prehistoric Europe 342-344
- Janick, Jules, and James Simon, eds. Advances in New Crops: Proceedings of the First National Symposium NEW CROPS: Research, Development, Economics. Indianapolis, Indiana, October 23-26, 1988 226-227

- Plant Resources of South-East Asia. No. 2. Edible Fruits and Nuts. E.W.M. Vereij and R.E. Coronel, eds. 227-228
- Johns, Timothy, With BitterHerbs They Shall Eat It: Chemical Ecology and the Origins of Human Diet and Medicine 180
- Kricher, John C., A Neotropical Companion: An Introduction to the Animals, Plants and Ecosystems of the New World Tropics 211
- Kuwaiti Plants. Distribution, Traditional Medicine, Phytochemistry, Pharmacology, and Economic Value. B. S. Middleditch and Amer M. Amer 430
- A Neotropical Companion: An Introduction to the Animals, Plants and Ecosystems of the New World Tropics, John C. Kricher 211
- A Review of Plants of Northern Sudan with Special Reference to their Uses, Faiz Faris Bebawi, and Lars Neugebohm 432-433
- Le Rougetel, Hazel, The Chelsea Gardener: Philip Miller 1691-1771 226
- Lindsay, K., and M. K. Jones, Plant Biotechnology in Agriculture 170
- López Estudillo, Rigoberto, and Alicia Hinojosa García, Catálogo de Plantas Medicinales Sonorenses 431
- Marketing Fresh Fruits and Vegetables R. Brian 344-345
- Middleditch, B. S., and Amer M. Amer, Kuwaiti Plants. Distribution, Traditional Medicine, Phytochemistry, Pharmacology, and Economic Value 430
- Ortega, P.R., G. Palomino, H., F. Castillo G., V. A. González H., and M. Livera M. (eds.), Avances en el Estudio de los Recursos Fitogenéticos de México (Advances in Research on Plant Genetic Resources of Mexico) 228-230
- Phytoarchaeology. Robert R. Brooks and Dieter Johannes 342-344
- Plant Biotechnology in Agriculture, K. Lindsay and M. K. Jones 170
- Proctor, R., Antique Flowers: Perennials, 345
- Rosengarten, Jr., Frederic, Wilson Popenoe, Agricultural Explorer, Educator, and Friend of Latin America 341-342
- Rutter, Richard A., Catálogo de Plantas útiles de la Amazoní Peruana 186
- Vereij, E.W.M., and R.E. Coronel, eds. Plant Resources of South-East Asia. No. 2. Edible Fruits and Nuts 227-228
- Wilson Popenoe, Agricultural Explorer, Educator, and Friend of Latin America. Frederic Rosengarten, Jr. 341-342
- With BitterHerbs They Shall Eat It: Chemical Ecology and the Origins of Human Diet and Medicine, Timothy Johns 180

VOLUME 46: INDEX TO BOOK REVIEWERS

- | | | |
|--------------------------------|----------------------------|------------------------------|
| Myrdene Anderson 342-344 | William A. Emboden 431-432 | S.K. Jain 344 |
| Brian M. Boom 211 | Joseph Ewan 226 | A. Douglas Kinghorn 180 |
| Robert Bye 431 | F. Daniel Fast 186 | Sally A. Mackenzie 170 |
| Frieda Rapoport Caplan 344-345 | Neil A. Harriman 430 | Lytton J. Musselman 432-433 |
| David Cavagnaro 345 | Charles Heiser 226-227 | Julia F. Morton 227-228, 433 |
| Darna L. Dufour 345-346 | Richard A. Howard 341-342 | Ricardo J. Salvador 228-230 |

